L Number	Hits	Search Text	DB	Time stamp
1	0	((user or client) and instant and messag$4 and ((differ$5 or compati$6) with protocol) and (mobile or cell$5 or cellular or phon$5)).ab. and @ad<20000706	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 13:01
2	0	((user or client) and instant and messag$4 and ((differ$5 or compati$6 or several) with protocol) and (mobile or cell$5 or cellular or phon$5)).ab. and @ad<20000706	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 13:01
3	0	((user or client) and instant and messag$4 and ((differ$5 or compati$6 or several or diver$5) with protocol) and (mobile or cell$5 or cellular or phon$5)).ab. and @ad<20000706	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 13:01
4	0	((user or client) and instant and messag$4 and ((differ$5 or compati$6 or several or diver$5 or multipl$5) with protocol) and (mobile or cell$5 or cellular or phon$5)).ab. and @ad<20000706	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 13:02
5	0	(instant and messag$4 and ((differ$5 or compati$6 or several or diver$5 or multipl$5) with protocol) and (mobile or cell$5 or cellular or phon$5)).ab. and @ad<20000706	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 13:02
6	2	((user or client) same instant same messag$4 same ((differ$5 or compati$6 or several or diver$5 or multipl$5) with protocol) same (mobile or cell$5 or cellular or phon$5)) and @ad<20000706	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 13:03
7	1	((user or client) same IM same ((differ$5 or compati$6 or several or diver$5 or multipl$5) with protocol) same (mobile or cell$5 or cellular or phon$5)) and @ad<20000706	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 13:04
8	634	(messag$5 same ((differ$5 or compati$6 or several or diver$5 or multipl$5) with protocol) same (mobile or cell$5 or cellular or phon$5)) and @ad<20000706	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 15:20
9	71	(messag$5 same ((differ$5 or compati$6 or several or diver$5 or multipl$5) with protocol) same (mobile or cell$5 or cellular or phon$5)).ab. and @ad<20000706	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 15:21
10	15	(messag$5 same ((differ$5 or compati$6 or several or diver$5 or multipl$5) with protocol with (client or user or device)) same (mobile or cell$5 or cellular or phon$5)).ab. and @ad<20000706	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 14:19
11	7	(messag$5 same ((differ$5 or compati$6 or several or diver$5 or multipl$5) near7 protocol near7 (client or user or device)) same (mobile or cell$5 or cellular or phon$5)).ab. and @ad<20000706	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 14:15
14	0	(messag$5 same ((differ$5 or compati$6 or several or diver$5 or multipl$5) near7 protocol near7 (client or user or device)) same (mobile or cell$5 or cellular or phon$5)).ab. and @ad<20000706 and (audio with server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 14:15
15	0	(messag$5 same ((differ$5 or compati$6 or several or diver$5 or multipl$5) with protocol with (client or user or device)) same (mobile or cell$5 or cellular or phon$5)).ab. and @ad<20000706 and (audio with server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 14:20

16	0	(messag$5 same ((differ$5 or compati$6 or several or diver$5 or multipl$5) with protocol) same (mobile or cell$5 or cellular or phon$5)).ab. and @ad<20000706 and (audio with server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 14:20
17	3	(audio and server and instant and messag$5).ab. and @ad<20000706	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 14:32
19	0	(ivr and server and instant and messag$5).ab. and @ad<20000706	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 14:32
20	0	(ivr and server and ((instant with messag$5) or im)).ab. and @ad<20000706	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 14:33
21	1	(ivr and ((instant with messag$5) or im)).ab. and @ad<20000706	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 14:44
26	1	"20020006803" and ((stor$5 or sav$5) with messag$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 14:49
47	69	(messag$5 same ((differ$5 or compati$6 or several or diver$5 or multipl$5) with protocol) same (mobile or cell$5 or cellular or phon$5)) and @ad<20000706 and (455/466.ccls. or 455/412.ccls. or 455/414.ccls. or 709/220.ccls. or 709/227.ccls. or 709/230.ccls. or 709/231.ccls. or 709/232.ccls. or 709/238.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 15:22
48	7	(messag$5 same ((differ$5 or compati$6 or several or diver$5 or multipl$5) with protocol) same (mobile or cell$5 or cellular or phon$5)).ab. and @ad<20000706 and (455/466.ccls. or 455/412.ccls. or 455/414.ccls. or 709/220.ccls. or 709/227.ccls. or 709/230.ccls. or 709/231.ccls. or 709/232.ccls. or 709/238.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 15:22
49	4	((telephone or cellular or (cellphone) or (cell adj phone)) same server same session same (instant with messag$4) same (user or client)) and (455/466.ccls. or 455/412.ccls. or 455/414.ccls. or 709/220.ccls. or 709/227.ccls. or 709/230.ccls. or 709/231.ccls. or 709/232.ccls. or 709/238.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 15:23
50	9	((thin adj client) or (cellular or cellphone or (cell adj phone))) and server and ((instant$6 near2 messag$4) or IM) and (maintain$5 with (session or communication)) and @ad<20000706 and (455/466.ccls. or 455/412.ccls. or 455/414.ccls. or 709/220.ccls. or 709/227.ccls. or 709/230.ccls. or 709/231.ccls. or 709/232.ccls. or 709/238.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 15:23

C:\APPS\EAST\Workspaces\acasiano2003.wsp

51	59	((instant near2 message) or im) and (cellular or cellphone or cell-phone or (cell adj phone)) and server and ((client or user) same session) and ((user or client) same protocol) and (455/466.ccls. or 455/412.ccls. or 455/414.ccls. or 709/220.ccls. or 709/227.ccls. or 709/230.ccls. or 709/231.ccls. or 709/232.ccls. or 709/238.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 15:23
-	0	((thin adj client) same server same session same (instant with messag$4) same (user or client))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 12:59
-	52	((telephone or cellular or (cellphone) or (cell adj phone)) same server same session same (instant with messag$4) same (user or client))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 15:22
-	3	((telephone or cellular or (cellphone) or (cell adj phone)) same server same session same (instant with messag$4) same (user or client)) and @ad<20000706	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/03 12:43
-	2	((telephone or cellular or (cellphone) or (cell adj phone)) and server and session and (instant with messag$4) and (user or client)).clm. and @ad<20000706	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/03 12:45
-	0	((telephone or cellular or (cellphone) or (cell adj phone)) and server and session and (instant with messag$4) and (user or client)).ab. and @ad<20000706	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/03 12:45
-	1	((telephone or cellular or (cellphone) or (cell adj phone) or mobile) and server and session and (instant with messag$4) and (user or client)).ab. and @ad<20000706	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/03 12:47
-	0	((telephone or cellular or (cellphone) or (cell adj phone) or mobile) and (session with (maintain$5 or keep$5) with session) and (instant with messag$4) and (user or client)).ab. and @ad<20000706	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/03 13:14
-	1	((telephone or cellular or (cellphone) or (cell adj phone) or mobile) and (session with (maintain$5 or keep$5) with session) and (instant with messag$4) and (user or client)).clm. and @ad<20000706	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/03 12:47
-	0	((telephone or cellular or (cellphone) or (cell adj phone) or mobile) same (session with (maintain$5 or keep$5) with session) same (instant with messag$4) same (user or client)) and @ad<20000706	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/03 13:13
-	2	((telephone or cellular or (cellphone) or (cell adj phone) or mobile) and (session with (maintain$5 or keep$5) with session) and (messag$4) and (user or client)).ab. and @ad<20000706	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/03 13:15
-	2	((telephone or cellular or (cellphone) or (cell adj phone) or mobile or wireless) and (session with (maintain$5 or keep$5) with session) and (messag$4) and (user or client)).ab. and @ad<20000706	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/03 13:16
-	6	((telephone or cellular or (cellphone) or (cell adj phone)) same server same (instant with messag$4) same (user or client)) and ((keep$5 or maintain$5) with (session or communication)) and @ad<20000706	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/03 14:03

–		0	(instant same messag$5 same ((redirect$5 or re-direct$5 or migrat$5) with (client or user or device or mobile)) same (simpl%7 or eas$7 or efficien$7) same session)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/03 14:27
–		0	(instant same messag$5 same ((redirect$5 or re-direct$5 or migrat$5) with (client or user or device or mobile)) same (simpl%7 or eas$7 or efficien$7) same session) and @ad<20000706	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/03 14:27
–		0	(((instant with messag$5) or IM) same ((redirect$5 or re-direct$5 or migrat$5) with (client or user or device or mobile)) same (simpl%7 or eas$7 or efficien$7) same session) and @ad<20000706	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/03 14:29
–		0	(((instant with messag$5) or IM) same ((redirect$5 or re-direct$5 or migrat$5 or mov$5 or transfer$5 or forward$4) with (client or user or device or mobile)) same (simpl%7 or eas$7 or efficien$7) same session) and @ad<20000706	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/03 14:29
–		0	(((instant with messag$5) or IM) same ((redirect$5 or re-direct$5 or migrat$5 or mov$5 or transfer$5 or forward$4) with (client or user or device or mobile)) same (simpl%7 or eas$7 or efficien$7) same session) and @ad<20000706	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/03 14:30
–		11	(((instant with messag$5) or IM) same ((redirect$5 or re-direct$5 or migrat$5 or mov$5 or transfer$5 or forward$4) with (client or user or device or mobile)) same session) and @ad<20000706	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/03 14:38
–		9	(client same ((instant adj messag$4) or IM) same ((maintain$5 or keep$5 or re-establish$5 or establish$5 or persist$5) with (session or communication))) and @ad<20000706	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/03 15:09
–		0	(client same ((instant adj messag$4) or IM) same ((mov$4 or re-direct$5 or migrat$5) with (session or communication) with (user or client))) and @ad<20000706	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/03 15:07
–		9	(client same ((instant adj messag$4) or IM) same ((maintain$5 or keep$5 or re-establish$5 or establish$5 or persist$5) with (session or communication))) and @ad<20000706 and (protocol same (user or client))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/03 15:10
–		5	(client same ((instant adj messag$4) or IM) same ((maintain$5 or keep$5 or re-establish$5 or establish$5 or persist$5) with (session or communication))) and @ad<20000706 and (protocol same (different or separate or incompatible))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/03 15:11
–		0	(different adj procotol) and (instant adj messag$5) and ((re-direct$5 or redirect$5 or rerout$5 or migrat$5 or mov$5) with (user or client)) and ((maintain$4 or keep$5) with (session or communication)) and @ad<20000706	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/03 15:23
–		0	(different adj procotol) and ((instant adj messag$5) or IM) and ((re-direct$5 or redirect$5 or rerout$5 or migrat$5 or mov$5) with (user or client)) and ((maintain$4 or keep$5) with (session or communication)) and @ad<20000706	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/03 15:24

–		0	(different adj procotol) and ((instant adj messag$5) or IM) and ((re-direct$5 or redirect$5 or rerout$5 or re-rout$4 or migrat$5 or mov$5) with (user or client)) and ((maintain$4 or keep$5) with (session or communication)) and @ad<20000706	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/03 15:24
–		0	(different adj procotol) and ((instant adj messag$5) or IM) and ((re-direct$5 or redirect$5 or rerout$5 or re-rout$4 or migrat$5 or mov$5) with (user or client or session)) and ((maintain$4 or keep$5) with (session or communication)) and @ad<20000706	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/03 15:18
–		0	(different adj procotol) and ((instant adj messag$5) or IM) and ((re-direct$5 or redirect$5 or rerout$5 or re-rout$4 or migrat$5 or mov$5) with (user or client or session)) and ((maintain$4 or keep$5 or persist$4) with (session or communication)) and @ad<20000706	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/03 15:24
–		0	(different adj procotol) and ((instant adj messag$5) or IM) and ((server) with (user or client or session)) and ((maintain$4 or keep$5 or persist$4) with (session or communication)) and @ad<20000706	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/03 15:24
–		0	(different adj procotol) and ((instant adj messag$5) or IM) and ((server) with (user or client or session)) and ((maintain$4 or keep$5 or persist$4) with (session or communication or link)) and @ad<20000706	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/03 15:23
–		0	(different adj procotol) and ((instant adj messag$5) or IM) and ((user or client or session)) and ((maintain$4 or keep$5 or persist$4) with (session or communication or link)) and @ad<20000706	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/03 15:24
–		0	(different with procotol) and (instant adj messag$5) and ((re-direct$5 or redirect$5 or rerout$5 or migrat$5 or mov$5) with (user or client)) and ((maintain$4 or keep$5) with (session or communication)) and @ad<20000706	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/03 15:23
–		0	(different with procotol) and ((instant adj messag$5) or IM) and ((re-direct$5 or redirect$5 or rerout$5 or migrat$5 or mov$5) with (user or client)) and ((maintain$4 or keep$5) with (session or communication)) and @ad<20000706	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/03 15:24
–		0	(different with procotol) and ((instant adj messag$5) or IM) and ((re-direct$5 or redirect$5 or rerout$5 or re-rout$4 or migrat$5 or mov$5) with (user or client)) and ((maintain$4 or keep$5) with (session or communication)) and @ad<20000706	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/03 15:24
–		0	(different with procotol) and ((instant adj messag$5) or IM) and ((re-direct$5 or redirect$5 or rerout$5 or re-rout$4 or migrat$5 or mov$5) with (user or client or session)) and ((maintain$4 or keep$5 or persist$4) with (session or communication)) and @ad<20000706	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/03 15:24
–		0	(different with procotol) and ((instant adj messag$5) or IM) and ((server) with (user or client or session)) and ((maintain$4 or keep$5 or persist$4) with (session or communication)) and @ad<20000706	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/03 15:24

C:\APPS\EAST\Workspaces\acasiano2003.wsp

-		0	(different with procotol) and ((instant adj messag$5) or IM) and ((user or client or session)) and ((maintain$4 or keep$5 or persist$4) with (session or communication or link)) and @ad<20000706	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/03 15:24
-		0	((different or various) with procotol) and ((instant adj messag$5) or IM) and ((user or client or session)) and ((maintain$4 or keep$5 or persist$4) with (session or communication or link)) and @ad<20000706	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/03 15:25
-		0	((different or various or several) with procotol) and ((instant adj messag$5) or IM) and ((user or client or session)) and ((maintain$4 or keep$5 or persist$4) with (session or communication or link)) and @ad<20000706	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/03 15:25
-		520	((instant near2 message) or im) and (cellular or cellphone or cell-phone or (cell adj phone)) and server and ((client or user) same session) and ((user or client) same protocol)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 15:22
-		75	((instant near2 message) or im) and (cellular or cellphone or cell-phone or (cell adj phone)) and server and ((client or user) same session) and ((user or client) same protocol) and @ad<20000706	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/03 15:27
-		46	((instant near2 message) or im) and (cellular or cellphone or cell-phone or (cell adj phone)) and server and ((client or user) same session) and ((user or client) same protocol same (different or several or incompatible or diverse)) and @ad<20000706	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/03 15:28
-		0	((instant near2 message) or im) and (cellular or cellphone or cell-phone or (cell adj phone)) and server and ((client or user) same session) and ((user or client) same protocol same (different or several or incompatible or diverse)) and @ad<20000706 and (open with session)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/03 15:29
-		39	((instant near2 message) or im) and (cellular or cellphone or cell-phone or (cell adj phone)) and server and ((client or user) same session) and ((user or client) same protocol same (different or several or incompatible or diverse)) and @ad<20000706 and ((open$3 or establish$4) with session)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/03 15:29
-		39	((instant near2 message) or im) and (cellular or cellphone or cell-phone or (cell adj phone)) and server and ((client or user) same session) and ((user or client) same protocol same (different or several or incompatible or diverse)) and @ad<20000706 and ((open$3 or establish$4) with session) and @ad<20000706	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/03 15:39
-		104	((thin adj client) or (cellular or cellphone or (cell adj phone))) and server and ((instant$6 near2 messag$4) or IM) and (maintain$5 with (session or communication)) and @ad<20000706	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 15:22
-		54	((thin adj client) or (cellular or cellphone or (cell adj phone))) and server and ((instant$6 near2 messag$4) or IM) and (maintain$5 with (session or communication)) and @ad<20000706 and ((open$4 or establish$4) with session)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/03 15:43

-		1	((thin adj client) or (cellular or cellphone or (cell adj phone))) and server and ((instant$6 near2 messag$4) or IM) and (maintain$5 with (session or communication)) and @ad<20000706 and ((open$4 or establish$4) with session) and (user with different with protocol)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/03 15:48
-		5	(client same server same (instant adj messag$5) same user).ab. and @ad<20000706	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 12:04
-		1	(client same server same (instant adj messag$5) same user).ab. and @ad<20000706 and (phone or cellphone or (cellular adj phone))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 12:04
-		2	(client same server same (instant adj messag$5) same user).ab. and @ad<20000706 and (phone or cellphone or (cellular adj phone) or mobile)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 12:06